



# OES9138 3HP 1PH Base Assembly

## Product Images

---



## Description

| Index Number | Part Number | Description                   | Size      | Qty |
|--------------|-------------|-------------------------------|-----------|-----|
| 1            | OES-001     | Machine Base                  |           | 1   |
| 2            | OES-002     | Magnetic Motor Starter        | 1Ph, 230V | 1   |
|              | OES-002C    | Contactor (not shown)         | 1Ph, 230V | 1   |
|              | OES-002O    | Overload (not shown)          | 1Ph, 230V | 1   |
|              | OES-002D    | Magnetic Motor Starter        | 3Ph, 230V | 1   |
|              | OES-002AC   | Contactor (not shown)         | 3Ph, 230V | 1   |
|              | OES-002AO   | Overload (not shown)          | 3Ph, 230V | 1   |
|              | OES-002E    | Magnetic Motor Starter        | 3Ph, 460V | 1   |
|              | OES-002BC   | Contactor (not shown)         | 3Ph, 460V | 1   |
|              | OES-002BO   | Overload (not shown)          | 3Ph, 460V | 1   |
| 3            | OES-003     | Oscillating Unit Cover        |           | 1   |
| 4            | TS-2246082  | Socket Head Button Screw      | M6 x 8    | 4   |
| 5            | OES-004     | Support Bracket               |           | 1   |
| 6            | TS-1550041  | Flat Washer                   | M6        | 15  |
| 7            | TS-1551041  | Lock Washer                   | M6        | 13  |
| 8            | TS-2246162  | Socket Head Button Screw      | M6 x 16   | 13  |
| 9            | OES-005     | Mounting Foot                 |           | 2   |
| 10           | TS-1550071  | Flat Washer                   | M10       | 8   |
| 11           | TS-1551071  | Lock Washer                   | M10       | 8   |
| 12           | TS-1491041  | Hex Cap Screw                 | M10 x 30  | 4   |
| 13           | OES-006     | Rubber Foot Pad               |           | 4   |
| 14           | OES-007     | Platen Casting                |           | 1   |
| 17           | TS-2210451  | Hex Cap Screw                 | M10 x 45  | 4   |
| 18           |             | Sanding Belt (local purchase) |           | 1   |
| 19           | OES-008     | Graphite Pad                  |           | 1   |
| 20           | OES-009     | Pad Retaining Plate           |           | 2   |
| 21           | TS-1551031  | Lock Washer                   | M5        | 6   |
| 22           | TS-2245162  | Socket Head Button Screw      | M5 x 16   | 6   |
| 23           | OES-010     | Lt. Sanding Guard Bracket     |           | 1   |
| 27           | OES-011     | Rt. Sanding Guard Bracket     |           | 1   |

|                  |                    |                                                            |         |   |
|------------------|--------------------|------------------------------------------------------------|---------|---|
| 29               | OES-012            | Belt Guard                                                 |         | 1 |
| 33               | OES-013            | Guard Plate                                                |         | 1 |
| 36               | OES-014            | "U" Handle                                                 |         | 1 |
| 37               | TS-1504031         | Socket Head Cap Screw                                      | M8 x 16 | 2 |
| 38               | TS-1541031         | Nylon Lock Hex Nut                                         | M8      | 2 |
| 39               | OES-015            | Hand Knob                                                  |         | 2 |
| 40               | OES-016            | Lifting Eyebolt                                            |         | 2 |
|                  | OES-SAA            | Switch Arm Assembly (previous to s/n 1312OES91380056 only; |         |   |
| includes part no | OES-17 and OES-19) |                                                            |         |   |
| 41               | OES-017            | Switch Arm                                                 |         | 1 |
|                  | OES-017A           | Switch Arm (s/n 1312OES91380056 and higher)                |         | 1 |
| 45               | OES-018            | Rubber Pad                                                 |         | 4 |
| 46               | OES-019            | Start/Stop Switch                                          |         | 1 |
|                  | OES-019A           | Start/Stop Switch (s/n 1312OES91380056 and higher)         |         | 1 |
| 47               | OES-094            | Clipper (Female)                                           |         | 1 |
| 48               | OES-095            | Clipper (Male)                                             |         | 1 |
| 49               | TS-2283061         | Phillips Flat Head Machine Screw                           | M3 x 6  | 4 |
| 50               | OES-096            | Hand Knob                                                  | 1/4"    | 1 |
|                  | OES-097            | Rear Door with Latch (not shown)                           |         | 1 |
|                  | OES-098            | Strain Relief for Power/Motor Cord (not shown)             | 1PH     | 2 |
|                  | OES-098A           | Strain Relief for Power/Motor Cord (not shown)             | 3PH     | 2 |
|                  | OES-099            | Strain Relief for Switch Cord to Switch (not shown)        |         | 2 |
|                  | OES-100            | Strain Relief for Switch Cord to Cabinet (not shown)       |         | 1 |

## Additional Information

|              |           |
|--------------|-----------|
| Stock Number | 1791282-1 |
|--------------|-----------|

## Products in this set